

University of Groningen

De verenigingen voor ziekenhuisverpleging, met name in Friesland, gezien binnen het kader der geneeskundige verzekering

Elzinga, Mattheüs

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1940

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Elzinga, M. (1940). *De verenigingen voor ziekenhuisverpleging, met name in Friesland, gezien binnen het kader der geneeskundige verzekering*. [, Rijksuniversiteit Groningen]. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

STELLINGEN

I

Het ziekenfonds behoort uitsluitend bestemd te zijn voor on- en minvermogenenden. Een middenstandsziektenfonds heeft weinig reden van bestaan.

II

Het verdient aanbeveling bij hardnekkige pruritus vulvae een behandeling met groote doses menformon te beproeven.

(KAUFMANN, Zentralblatt für Gynäkologie, 1936, bladz. 850 en volg.)

III

Bij de behandeling der acute etterige osteomyelitis in het acute stadium beperke men zich tot de zoo vroegtijdig mogelijke opening van het sub-periostale absces. Tot trepanatie dient slechts op bijzondere indicatie overgegaan te worden.

(Diss. J. de Bloeme, Osteomyelitis, 1929).

IV

De prostaat-hypertrophie beschouwe men als een onderdeel van het ziektebeeld prostatisme.

(G. van Houtum, Geneeskundige Bladen, 37ste reeks, No. V.)

V

In hardnekkige gevallen van de ziekte van Menière verdient de operatie volgens Portmann aanbeveling.

(Jules Waltner, Revue de Laryngologie, Otologie, Rhinologie, Janvier 1940).

VI

Slaapkuren met barbituurzuurverbindingen mogen slechts klinisch en na het nemen van behoorlijke voorzorgsmaatregelen toegepast worden.

(Diss. H. Kuipers, Een onderzoek naar de klinische beteekenis van de haematologische veranderingen bij de geprolongeerde behandeling met barbituurzuurderivaten, 1938).

VII

De onder de namen lymphocyttaire angina, plasmacellen-angina, monocysten-angina, Pfeiffersche Drüsenfieber, e.d. beschreven ziektebeelden moeten als een specifieke infectieziekte, veroorzaakt door eenzelfde virus, beschouwd worden.

(J. E. Minkenhof, Ned. Tijdschr. v. Geneesk., 11 Aug. 1934).

VIII

De uitvlokkingsreactie met de vloeistof van Hayem volgens Jacobson-Gros, verdient de voorkeur boven de reactie van Takata.

(Ned. Tijdschr. v. Geneesk. 1939, bladz. 4231).